

158793

Friday, March 31, 2017 5:10:07 PM

N900040100

Setup Start *NS1*

Stop *NS2*

Cust Item ID:

20

20

Customer:

DAS
21
9-89

Date: MAR 31 2017

Date:

Run Start *NR1*

Date:

Date:

Stop ***NR2***

100		1.78		
100	DOOSAN LATHE			
Doosan	Memo	1.24	50	P17-0401
Doosan Lathe	1-Turn as per Dwg D2282 and Folio FA189			
	2-Debur			
110	QC2- Inspect parts off machine FAI/FAIB	0.00		
110			50	P17-04
QC	Memo	0.20		
Quality Control				
120	QC8- Inspect parts - second check	0.00		
120			50	DAS 45
QC	Memo	0.40	0	9.89
Quality Control				17-04-02

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Work Order ID 158793

Friday, March 31, 2017 5:10:07 PM

158793

Page 2

Item ID: D2282-5 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Tube
Start Date: 4/5/2017 Start Qty: 20.00 ***20*** Cust Item ID:
Required Date: 4/13/2017 Req'd Qty: 20.00 ***20*** Customer:
Reference: SCHEDULED

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: _____	0.00							
130 Packaging Packaging	Memo *****STOCK IN LARGE FAB***** LOCATION : WA002	0.20				20	DAS 6 9-89	APR 03 2017	
140	QC21- Final Inspection - Work Order Release	0.00							
140 QC Quality Control	Memo	2.00						17/5/11	

DAS
21
9-89 APR 11 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____					
Misidentified ☐	Past Due ☐						

Picklist Print

Friday, March 31, 2017 5:10:06 PM

Page 1

Work Order ID: 158793

158793

Parent Item: D2282-5

D2282-5

Parent Item Name: Tube

Start Date: 4/5/2017

Required Date: 4/13/2017

Start Qty: 20.00

Required Qty: 20.00

Comments: IPP Rev:A Removed from 9 Digit 05-12-02 JLM
IPPR Rev:B Now on Doosan Lathe 08-06-05 JLM Verified By:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304RO.750		Purchased		No		100	f	45.5580	0.18006	3.790737			

M304RO 750

304 SS Roundbar .750

Location	Loc Qty	Loc Code
MAT	0.583	
M135512	0.583	
MAT029	44.975	
M135779	2.855	
2 1/2 26 - M136200	6.12	
48 - M136896	12	
M137175	24	

5.208

5.1008

17-04-01

2.855

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
				Completed By					
				Lead hand / Supervisor Approval Verification					
				QC / QA Coordinator Approval					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								




DESIGN BW	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2282	REV. E SHEET 1 OF 2
DATE 05.06.07	TITLE HANDLE TUBES		SCALE 1:1
A	94.10.14	NEW ISSUE	
B	95.03.23	RE-DESIGN	
C	97.10.20	CORRECTED NUMBERING SCHEME	
D	05.03.16	REDESIGN D2282-5; 0.795 WAS 0.750	
E	05.06.07	D2282-5 304 SS WAS 303 SS; R0.063 x 0.063 WAS R0.080 x 0.030	


RELEASED
2709/31
05/09/16



D2282-3




D2282-7



D2282-3/-7 TUBE:

- 1) MATERIAL: T304/T316 3/8 SCHEDULE 40 (REF. DART SPEC. M304TR0.675W.091)
- 2) BREAK ALL UMARKED SHARP EDGES 0.005 TO 0.010
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED



D2282-5

D2282-5 STEM:

- 1) MATERIAL: AISI 304 STAINLESS STEEL (REF. DART SPEC. M304R0.750)
- 2) BREAK ALL UMARKED SHARP EDGES 0.005 TO 0.010
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED



Copyright © 1994 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN BW	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2282	REV. E SHEET 2 OF 2
DATE 05.06.07	TITLE HANDLE TUBES		SCALE 1:1

SHOP COPY

RETURN TO

ENGINEERING


UNCONTROLLED COPY

SUBJECT TO AMENDMENT


WITHOUT NOTICE

WORK ORDER


NO. 118253




D2282-041 'T' ASSEMBLY
WELD ASSEMBLY PER DART QSI 004



D2282-043
(REF)



GENERAL ASSEMBLY
SCALE 1:2



D2282-043 SADDLE ASSEMBLY
WELD ASSEMBLY PER DART QSI 004

Copyright © 1994 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD		Work Order:	158753
Description: Handle Tube		Part Number:	D2282-5
Inspection Dwg: D2282 Rev: E		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ **First Article**
☐ **Prototype**

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
2.17	+/-0.030	2.173	✓		Vern LPO9	
R0.063	+/-0.010	.062				
0.063	+/-0.010	.061				
0.125	+/-0.010	.125				
0.090 x 45°	+/-0.010	.090 x 45°				
R0.350	+0.010/-0.000	R.350				
0.158	+/-0.010	.155				
Ø0.386	+0.005/-0.000	.386			Gauge Pin	
Ø0.700	+/-0.010	.698			Vern LPO9	

Measured by:	J 17-04-01	Audited by:	45 1-89	Prototype Approval:	N/A
Date:		Date:	17-04-02	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	03.11.11	New Issue P/O D350-615-041	KJ/RF	
B	05.04.19	Dimensions & tolerances changed	KJ/JLM	
C	06.03.15	Dimensions & tolerances revised per Dwg Rev E	KJ/JLM	
D	07.11.26	Ø0.700 dimension added	KJ/EC/DD	